ELSEVIER

Forest Ecology and Management 203 (2004) 413–414

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 203

VOLUME 203, ISSUES 1–3 **13 DECEMBER 2004**

Cut high stumps of spruce, birch, aspen and oak as breeding substrates for saproxylic beetles
A. Lindhe and Å. Lindelöw (Uppsala, Sweden) 1
Thinning intensity and long-term changes in increment and stem form of Scots pine trees
H. Mäkinen and A. Isomäki (Vantaa, Finland) 21
The spread of ash (*Fraxinus excelsior*) in some European oak forests: an effect of nitrogen deposition or successional change?
J. Hofmeister, M. Mihaljević (Prague, Czech Republic) and J. Hošek (Hořovice, Czech Republic) 35
Growth and yield model for *Pinus halepensis* Mill. in Catalonia, north-east Spain
A. Trasobares (Solsona, Spain), M. Tomé (Lisboa, Portugal) and J. Miina (Joensuu, Finland) 49
Estimation of aboveground biomass in logged and primary lowland rainforests using 3-D photogrammetric analysis
T. Okuda, M. Suzuki, S. Numata, K. Yoshida, S. Nishimura (Ibaraki, Japan), N. Adachi (Saitama, Japan),
K. Niiyama (Ibaraki, Japan), N. Manokaran (Kuala Lumpur, Malaysia) and M. Hashim (Johor Bahru, Malaysia) 63
Influence of clear-cutting on the risk of wind damage at forest edges
H. Zeng, H. Peltola, A. Talkkari (Joensuu, Finland), A. Venäläinen (Helsinki, Finland), H. Strandman,
S. Kellomäki (Joensuu, Finland) and K. Wang (Chengdu, China) 77
Intensity and timing of the first thinning of *Tectona grandis* plantations in Costa Rica: results of a thinning trial
M. Kanninen (Jakarta, Indonesia), D. Pérez, M. Montero and E. Víquez (Turribala, Costa Rica) 89
Development of an individual tree-based mechanical model to predict wind damage within forest stands
P. Ancelin, B. Courbaud (Saint-Martin-d'Hères, France) and T. Fourcaud (Cestas Gazinet, France) 101
Survival, growth and needle element concentrations of *Picea abies* (L.) Karst. seedlings after brash removal in a previously N fertilized stand
U. Sikström (Uppsala, Sweden) 123
Variation in incidence and genetic impact on natural infection of *Heterobasidion annosum* in *Picea abies* (L.) Karst. in genetic trials in south Sweden
G. Swedjemark (Uppsala, Sweden) and B. Karlsson (Svalöv, Sweden) 135
Ten years of recovery after experimental fire in a heathland: effects of sowing native species
I. Fernández-Abascal, R. Tárrega and E. Luis-Calabuig (León, Spain) 147
The relationship between forest age and aspect on the production of sporocarps of ectomycorrhizal fungi in *Pinus sylvestris* forests of the central Pyrenees
J.A. Bonet, C.R. Fischer (Solsona, Spain) and C. Colinas (Lleida, Spain) 157
Allometric relationships for below- and aboveground biomass of young Scots pines
C.-W. Xiao and R. Ceulemans (Wilrijk, Belgium) 177
Do concentrations of glucose and fungal inoculum influence the competitiveness of two early-stage ectomycorrhizal fungi in *Afzelia africana* seedlings?
A.G. Diedhiou (Dakar, Senegal and Montpellier, France), F. Verpillot, O. Gueye (Dakar, Senegal), B. Dreyfus,
R. Duponnois (Montpellier, France) and A.M. Bâ (Guadeloupe, France) 187
Nutritional diagnoses in loblolly pine (*Pinus taeda* L.) established stands using three different approaches
N. Gregoire (Yaoundé, Cameroon) and R.F. Fisher (Diboll, TX, USA) 195
The effects of the timing and method of logging on forest structure in Peninsular Malaysia
H.W. Seng (Sarawak, Malaysia), W. Ratnam, S.M. Noor and M.M. Clyde (Selangor Darul Ehsan, Malaysia) 209
Soil and site factors influencing purple-flowered rhododendron (*Rhododendron ponticum* L.) and eastern beech forests (*Fagus orientalis* Lipsky) in Turkey
D. Eşen (Düzce, Turkey), S.M. Zedaker, J.L. Kirwan (Blacksburg, VA, USA) and P. Mou (Greensboro, NC, USA) 229

doi:10.1016/S0378-1127(04)00758-3

Reproductive success of the spruce bark beetle *Ips typographus* (L.) and occurrence of associated species: a comparison between standing beetle-killed trees and cut trees
P.O. Hedgren and L.M. Schroeder (Uppsala, Sweden) 241
Post-fire regeneration variability of *Pinus halepensis* in the eastern Iberian Peninsula
J.G. Pausas, E. Ribeiro and R. Vallejo (València, Spain) 251
Northern Ibero-Atlantic wetland woods. Vegetation types and within-stand structure
P.M. Rodríguez-González, M.T. Ferreira (Lisbon, Portugal) and P.R. Rego (Lugo, Spain) 261
Genetic make-up and diversity of regenerated *Betula maximowicziana* Regel. sapling populations in scarified patches as revealed by microsatellite analysis
S. Goto (Hokkaido, Japan), Y. Tsuda, K. Nagafuji, K. Uchiyama (Tokyo, Japan), Y. Takahashi (Hokkaido, Japan), T. Tange and Y. Ide (Tokyo, Japan) 273
Variation in soil carbon in pine plantations and implications for monitoring soil carbon stocks in relation to land-use change and forest site management in New Zealand
G.R. Oliver, P.N. Beets, L.G. Garrett, S.H. Pearce, M.O. Kimberly, J.B. Ford-Robertson and K.A. Robertson (Rotorua, New Zealand) 283
Seedling response to gaps: separating effects of light and nitrogen
J.H. Fownes and R.A. Harrington (Amherst, MA, USA) 297
A new sampling technique for estimating the mean height
Y. Ueno (Tokyo, Japan) 311
Estimating aboveground biomass of broadleaved woody plants in the understory of Florida Keys pine forests
J.P. Sah, M.S. Ross, S. Koptur (Miami, FL, USA) and J.R. Snyder (Ochopee, FL, USA) 319
Forest structure and organic horizon analysis along a fire chronosequence in the low elevation forests of western Montana
M.D. MacKenzie, T.H. DeLuca and A. Sala (Missoula, MT, USA) 331
The impact of land use on soil carbon in Miombo Woodlands of Malawi
S.M. Walker (Charlottesville, VA, USA) and P.V. Desanker (University Park, PA, USA) 345
Effects of edge type and nest height on predation of artificial nests within subtropical Australian eucalypt forests
S.D. Piper and C.P. Catterall (Nathan, Australia) 361
A simple technique for estimating cubic foot volume yields
J.R. Brooks (Morgantown, WV, USA) and H.V. Wiant (University Park, PA, USA) 373
Small mammal communities of streamside management zones in intensively managed pine forests of Arkansas
D.A. Miller (Columbus, MS, USA), R.E. Thill (Nacogdoches, TX, USA), M.A. Melchiors (Federal Way, WA, USA), T.B. Wigley (Clemson, SC, USA) and P.A. Tappe (Monticello, AR, USA) 381
Computer classification of four major components of surface fuel in Northeast China by image: the first step towards describing spatial heterogeneity of surface fuels by images
S. Jin (Heilongjiang Province, PR China) 395

Short communication

Tree biomass and net increment in an old aspen forest in New Mexico
D. Binkley (Ft. Collins, CO, USA), C.S. White and J.R. Gosz (Albuquerque, NM, USA) 407

Corrigendum

Corrigendum to "Biodeteriorating agents associated with three tropical timber species" [For. Ecol. Manage. 195 (2004) 311–323]
M.M. Apetorgbor, N.A. Darkwa, E. Opuni-Frimpong and V.K. Agyeman (Kumasi, Ghana) 411

Contents of *Forest Ecology and Management*, Volume 203 413